


**VELUX®**

Skylights

# Curb mounted skylights

**The No Leak Skylight**  
No Leak Promise  
No Worries



## 3 layers of water protection for curb mounted skylights

- 1** A pre-attached skylight gasket provides a seal between a standard site-built curb and the skylight that caps off a leak-proof installation for curb mounted skylights.
- 2** Adhesive underlayment for secondary water protection against the harshest weather conditions for standard site-built curbs.
- 3** Engineered flashing for easy installation and primary water protection.

ECL shingle or ECW tile flashing must be purchased in order to qualify for the 10-year installation warranty.

**10-year installation warranty.**  
VELUX flashing required to qualify.

*Bringing light to life™*





### Solar Powered "Fresh Air" Skylight – Model VCS

- Standard with Clean, Quiet & Safe glass.
- Optional in-stock blinds available factory installed.
- The solar panel will work on cloudy days and with indirect light. It does not have to be exposed to direct sunlight to function.
- With an integrated rain sensor the solar powered skylight will close automatically, in case of inclement weather.
- Intelligent touch remote control powered by VELUX INTEGRA®. With a touch-sensitive screen and easily understood icons, programming skylights has become simpler than ever.

Eligible for a **30%** Federal tax credit  
 Receive an average of \$850\* with federal tax credit eligibility.



### Manual "Fresh Air" skylight – Model VCM

- Optional in-stock blinds available factory installed.
- Maintenance free white frames and sashes.
- Smooth-turning handle available for when the skylight is installed within reach.
- Opened and closed manually with VELUX control rods when out of reach.



### Fixed skylight – Model FCM

- Optional in-stock blinds available factory installed.
- Maintenance free exterior and interior.
- Streamlined exterior profile does not obstruct your roofline.

\* For more information visit [www.veluxusa.com/taxcredits](http://www.veluxusa.com/taxcredits)



### Electric "Fresh Air" skylight – Model VCE

- Standard with Clean, Quiet & Safe glass.
- Optional in-stock blinds available factory installed.
- Intelligent touch remote control powered by VELUX INTEGRA®. With a touch-sensitive screen and easily understood icons, programming skylights has become simpler than ever.
- Single hard wire connects into a standard junction box.

**30%** Federal tax credit on solar powered blinds\*  
 Available in room darkening - double pleated blinds, blackout blinds, light filtering - single pleated blinds and light filtering blinds

### Factory installed in-stock blinds


If one of the in-stock blinds below are ordered with your skylights, VELUX will factory install your blind for you, or you may select one of our special order blinds. Please visit [veluxusa.com](http://veluxusa.com) to see a listing of special order blinds.

Note: Special order blinds are not pre-installed with your skylight order and require a two week lead time.

#### In-stock room darkening - double pleated blinds (Solar powered/manual)



#### In-stock light filtering - single pleated blinds (Solar powered/manual)



#### In-stock venetian blind (FCM only) (Manual)



| Skylights   | VCS | VCE | VCM | FCM |
|---|-----|-----|-----|-----|
| Solar powered room darkening double pleated blinds  | •   | •   | •   | •   |
| Solar powered light filtering single pleated blinds | •   | •   | •   | •   |
| Solar powered blackout blinds                       | •   | •   | •   | •   |
| Solar powered light filtering blinds                | •   | •   | •   | •   |
| Manual room darkening double pleated blinds         |     |     |     | •   |
| Manual light filtering single pleated blinds        |     |     |     | •   |
| Manual blackout blinds                              |     |     |     | •   |
| Manual light filtering blinds                       |     |     |     | •   |
| Manual venetian blinds                              |     |     |     | •   |

#### Notes:

- Blinds not available for FCM sizes 1430, 1446, 2270.
- FCM skylights need sunscreening accessory tray (ZZZ 199) for blind installation.

**The No Leak Skylight**  
 No Leak Promise  
 No Worries

**10-year installation warranty.**  
 VELUX flashing required to qualify.



## Curb mounted skylight size chart (Outside curb)




| Inch   | 17 1/2                            | 25 1/2                            | 33 1/2                            | 37 1/2                            | 49 1/2                            |
|--------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| mm     | 445                               | 648                               | 851                               | 952                               | 1257                              |
| 25 1/2 | FCM; VCM; VCE; VCS<br><b>2222</b> |                                   |                                   |                                   |                                   |
| 33 1/2 | FCM<br><b>1430</b>                | FCM; VCM; VCE; VCS<br><b>2230</b> | FCM; VCM; VCE; VCS<br><b>3030</b> |                                   |                                   |
| 37 1/2 |                                   | FCM; VCM; VCE; VCS<br><b>2234</b> |                                   | FCM; VCM; VCE; VCS<br><b>3434</b> |                                   |
| 49 1/2 | FCM<br><b>1446</b>                | FCM; VCM; VCE; VCS<br><b>2246</b> | FCM; VCM; VCE; VCS<br><b>3046</b> | FCM<br><b>3446</b>                | FCM; VCM; VCE; VCS<br><b>4646</b> |
| 73 1/2 |                                   | FCM<br><b>2270</b>                |                                   |                                   |                                   |

## Custom size fixed curb mounted skylights

|                           |                                  |
|---------------------------|----------------------------------|
| Make size (W-in. x L-in.) | Width 18 3/4 To 50 3/4           |
| Height 18 3/4 To 72       | Now delivered in 12 days or less |
| Height 72 1/4 To 76 1/2   | Now delivered in 20 days or less |

We require maximum skylight clearance dimensions in 1/4-in. increments (0, 1/4, 1/2, 3/4) for width and height.

Note: Custom size flashing kits and custom size blinds are not available.  
Note: Some speciality glass options require longer lead times.



Please call for pricing and availability: 1-800-888-3589

## Curb mounted skylight flashing

| Model | Installation | Roofing                             |
|-------|--------------|-------------------------------------|
| ECL   | Single       | Shingle/Slate (10°- 60° roof pitch) |
| ECW   | Single       | Tile (15°- 60° roof pitch)          |

## Choosing the right glass for your skylight


### For out of reach applications



Clean, Quiet & Safe glass (xx04) - recommended

Standard on: VCS, VCE  
Available on: VCM, FCM

Clean, Quiet & Safe glass also available in the following options:



Impact (xx06)  
Available on: VCE, VCM, FCM



Miami-Dade (xx07)  
Available on: FCM



White laminated (xx08)  
Available on: VCE, VCM, FCM




Snowload (xx10)  
Available on: VCM, FCM



**Clean**  
Features Neat® glass coating to keep your skylight cleaner longer, leaving skylights virtually spotless



**Quiet**  
Reduce unwanted outside noise by up to 25% less than a standard double pane glass, and up to 50% less than a plastic skylight



**Safe**  
VELUX recommends and building codes require laminated glass for out of reach applications

### For in reach applications



Dual pane tempered glass (xx05)

Available on: FCM, VCM



VELUX America Inc.  
450 Old Brickyard Road • PO Box 5001 • Greenwood, SC 29648-5001  
Tel 1-800-888-3589 • Fax 1-864-943-2631 • www.veluxusa.com



www.facebook.com/veluxamerica  
www.twitter.com/veluxamerica  
www.youtube.com/veluxusa